



Using leftover fabrics 🎵



3D mask



Finished size: approx. 13x20cm



★Materials



- Fabric part A 18x32cm
- Fabric part B 16x26cm
- Rubber strip (Desired length) 2 pieces
- (Recommended fabric:
Thin fabric such as Gauze or similar)



* Unit shown in cm

* ↔ indicates straight direction of grain.



★Cutting pattern drawings



When using Gauze fabric, first wash in water and dry before cutting in order to avoid size shrinking.



★ How to sew

1. Making central part



Turn inside up and sew from nose portion to jaw portion. (Do the same for B.)



2. Making notches

Make notches toward seam as close as possible. (Do the same for B.)

Cut off for steep curved part and both ends.




Be sure not to cut seam.




3. Ironing

Open the seamed edge to split and iron for each side. (Do the same for B.)




4. Sewing fabric A and B together.

Turn inside up and pin-fit fabrics A and B so that each center is aligned, and then sew the top and bottom allowances of 1 cm together from the edge of fabric B.





5. Making rubber strip threading openings

① Make notches and turn inside out.



5. Making rubber strip threading openings / continued


② Iron to form the shape properly.



Iron while pushing out with pin point tool from inside in order to finish neatly.




③ Fold up the rubber strip threading part twice and iron, then sew that part.



6. Forming the entire shape neatly.

Sew hem allowance of 2mm width and form the entire shape.




Slowly advance sewing machine for the part of many layers of fabric for easy and smooth sewing.



7. Finishing

Pass rubber strip through the opening and cut in the length longer by 6cm than desired (To tie).

Tie the ends and pushing the knot inside of opening to hide.



Complete!

